arXiv:1404.4965v2 [math.GT] 22 Apr 2014

TABLES OF QUASI-ALTERNATING KNOTS WITH AT MOST 12 CROSSINGS

SLAVIK JABLAN

Abstract. We are giving tables of quasi-alternating knots with $8 \leq n \leq 12$ crossings. As the obstructions for a knot to be quasialternating we used homology thickness with regards to Khovanov homology, odd homology, and Heegaard-Floer homology $\widehat{HFK}$. Except knots which are homology thick, so cannot be quasialternating, by using the results of our computations [JaSa1], for one of knots which are homology thin, knot $11n_{50}$, J. Greene proved that it is not quasi-alternating, so this is the first example of homologically thin knot which is not quasi-alternating [Gr]. In this paper we provide a few more candidates for homology thin knots for which the method used by J. Greene cannot be used to prove that they are not quasialternating. All computations were performed by A. Shumakovitch's program *KhoHo*, the program *Knotscape*, the package *Knot Atlas* by Dror Bar-Natan, and our program *LinKnot*.

1. Introduction

In this paper we present the tables of quasi-alternating (short QA) knots with $8 \leq n \leq 12$ crossings based on the thickness of Khovanov homology $\overline{Kh}$ [Kh1] and odd Khovanov homology $\overline{Kh}'$ [OzRaSz] and analyzing their minimal diagrams. Our motivation stems from the fact that such QA-knot tables are not available from some other sources, so they can be used by all knot theorists interested for QA knots. Also, they will maybe stimulate the attempts to prove that some homology thin knots (so called "candidates" for homology thin knots which are not QA) are indeed not QA.

C. Manolescu and P. Ozsváth show that both Khovanov homology $\overline{Kh}$ and Heegaard-Floer homology $\widehat{HFK}$ can be used to detect links which are not QA. Quasi-alternating links are Khovanov homologically σ-thin (over $\mathbb{Z}$) and $\widehat{HFK}$ homologically σ-thin (over $\mathbb{Z}/2\mathbb{Z}$) [MaOz]. The same property extends to odd Khovanov homology $\overline{Kh}'$ [OzRaSz] and we will use this property in the rest of the paper. A knot or link is called *homologically thin* (without qualification), if it is simultaneously thin with respect to $\overline{Kh}$, $\widehat{HFK}$, and $\overline{Kh}'$ [Gr, Def. 1.2].

Definition 1.1. *The set Q of quasi-alternating links is the smallest set of links such that*

- *the unknot is in Q;*
- *if the link L has a diagram D with a crossing c such that*
  (1) *both smoothings of c, L_0 and L_∞, are in Q;*
  (2) *det(L)=det(L_0)+det(L_∞)*

then L is in Q. We say that a crossing c satisfying the properties above is a quasi-alternating crossing of the diagram D or that D is quasi-alternating at the crossing c [OzSz, ChKo1].

The recursive definition makes it difficult to determine if a knot is quasi-alternating. It is a challenge to find candidates for homologically thin knots that are not QA. For a long time, knots $9_{46} = 3, 3, -3$ and $10_{140} = 4, 3, -3$ have been the main candidates. However, according to A. Shumakovitch's computations [Sh2] they are not QA, since are $\overline{Kh}'$-thick (meaning, they have torsion in their odd Khovanov homology groups), although they are both $\widehat{HFK}$ and $\overline{Kh}$-thin. By using the method based on Donaldsons celebrated Theorem A, which asserts that the intersection pairing of a smooth, closed, negative definite 4-manifold is diagonalizable [Don], J. Greene proved that homology thin knot $11n_{50} = -2\,2, 2\,2, 3$ is not QA.

According to Theorem 1 [ChKo1], quasi-alternating links with a higher number of crossings can be obtained as extension of links which are already recognized as quasi-alternating [ChKo1, Wi].

Consider the crossing c in Definition 1 as 2-tangle with marked endpoints. Using Conway's notation for rational tangles, let $\varepsilon(c) = \pm 1$, according to whether the overstrand has positive or negative slope. We will say that a rational 2-tangle $\tau = C(a_1, \ldots, a_m)$ extends c if τ contains c and $\varepsilon(c) \cdot a_i \geq 1$ for $i = 1, \ldots, m$. In particular, τ is an alternating rational tangle.

Theorem 1.2. *If L is a quasi-alternating link, let L' be obtained by replacing any quasi-alternating crossing c with an alternating rational tangle that extends c. Then L' is quasi-alternating* [ChKo1].

In this paper we give complete computational results for QA knots up to 12 crossings and the examples of QA knots with at least two different minimal diagrams, where one is QA and the other is not. We provide examples of knots and links (short KLs) with $n \leq 12$ crossings which are homologically thin and have no minimal quasi-alternating diagrams. In the first version of this paper we proposed these KLs as the candidates for prime homologically thin links that are not QA, and J. Greene proved that knot $11n_{50}$ is not QA [Gr]. Using the method described in his paper it can also be shown that the link $L11n_{90}$ is not QA, although

it is homologically thin. The remaining candidates given in this paper may require additional ideas to prove that they are non-QA, if indeed this is the case. Another attempt to show that some "candidates" are QA is to try to find their non-minimal diagrams which are QA.

Knots and links are given in Conway notation [Con, JaSa], which is implemented in *Mathematica* package *LinKnot* used for computations with knots and their distinct diagrams. Odd Khovanov homology $\overline{Kh}'$ is computed using *KhoHo* by A. Shumakovitch [Sh1]. All flype-equivalent minimal diagrams of non-alternating KLs up to $n \leq 12$ crossings are derived from alternating link diagrams, using software *LinKnot*. *KnotFind*, the part of the program *Knotscape* [HosThi], is used for recognition of knots. In addition, we used the criterion that homologically thick knots are not QA and that for a quasi-alternating crossing both smoothings must be homologically thin knots.

2. Quasi-alternating knots up to 12 crossings

Since an homologically thick knot cannot be QA, we first selected knots which are homologically thin. Table 1 gives an overview of the numbers of non-alternating knots with $8 \leq n \leq 12$ crossings and how many among them are homologically thin:

No. of crossings	8	9	10	11	12
No. of non-alternating knots	3	8	42	185	888
No. of homologically thin non-alternating knots	2	6	31	142	663

Table 1.

Among the knots up to $n = 11$ crossings, the following six knots are $\overline{Kh}$-homologically thin [Sh1] and have a minimal diagram which is not QA:

9_{46}	$3, 3, -3$	10_{140}	$4, 3, -3$
$11n_{139}$	$5, 3, -3$	$11n_{107}$	$-2\,1\,2, 3, 3$
$11n_{50}$	$-2\,2, 2\,2, 3$	$11n_{65}$	$(3, -2\,1)\,(2\,1, 2)$

Table 2.

Even columns in Table 2 contain the Conway symbols of these knots. Four of them, 9_{46}, 10_{140}, $11n_{139}$, and $11n_{107}$ are $\overline{Kh}'$-thick [Sh2], so they are not QA.

The knot $11n_{65}$ has two minimal diagrams: $(3, -2\,1)\,(2\,1, 2)$ (Fig. 1a) and $6^*2.2\,1. - 2\,0. - 1. - 2$ (Fig. 1b). The first diagram is not QA, and the second is QA. By smoothing at the crossing c, the second diagram resolves into unknot and QA link $(2, 2+) - (2\,1, 2)$, which resolves into QA knots $3, 2\,1, -2$ and $2\,1\,1, 2\,1, -2$ by smoothing the crossing c_1 (Fig. 1c). Moreover, all minimal KL diagrams of the family derived from knot $11n_{65}$, $(3, -2\,1)\,(p\,1, 2)$ and $6^*2.p\,1. - 2\,0. - 1. - 2$ $(p \geq 2)$ which represent the same KL have this property: the first is not QA, and the other is QA.

12-crossing knots $12n_{196} = (-3\,1, 3)\,(2\,1, 2) = 6^*2.2\,0 : -30.3$, $12n_{393} = 8^*2.2\,0 : -2\,1\,0 = 102^*20 : 2\,0 :: . - 1. - 1. - 1$ and $12n_{397} = 2\,1\,1 : -2\,1\,0 : 2\,0$ have another minimal diagram which is QA, and the knots given in Table 3 are candidates for homologically thin non-QA knots.



FIGURE 1. (a) Non-QA minimal diagram $(3,-2\,1)\,(2\,1,2)$ of the knot $11n_{65}$; (b) the other QA minimal diagram $6^*2.2\,1.-2\,0.-1.-2$ of the knot $11n_{65}$; (c) QA link $(2,2+)\,-(2\,1,2)$.

$12n_{139}$	$.2.(-2\,1,2).2$	$12n_{331}$	$(-3,-2\,-1)\,(3,2+)$
$12n_{397}$	$2\,1\,1:-2\,-1\,0:2\,0$	$12n_{414}$	$-2\,-1\,0.3.2.2\,0$
$12n_{768}$	$2:-3\,-1\,0:3\,0$	$12n_{838}$	$-2.-2.-2\,0.2.2.2\,0$

TABLE 3. Candidates for 12-crossing homologically thin non-QA knots.

FIGURE 2. Knot $11n_{50}$.

3. TABLES OF QUASI-ALTERNATING KNOTS UP TO 12 CROSSINGS

In the following tables are given QA knots with $8 \le n \le 12$ crossings. Every knot with $8 \le n \le 10$ crossings is given by its classical symbol and in Conway notation, and every knot with $11 \le n \le 12$ crossings with its DT (Dowker-Thistlethwaite or *Knotscape*) symbol and in Conway notation.

8_{20}	$3,2\,1,-2$	8_{21}	$2\,1,2\,1,-2$

9_{43}	$2\,1\,1,3,-2$	9_{44}	$2\,2,2\,1,-2$	9_{45}	$2\,1\,1,2\,1,-2$
9_{47}	$8^*-2\,0$	9_{48}	$2\,1,2\,1,-3$	9_{49}	$-2\,0:-2\,0:-2\,0$

10_{125}	$5,2\,1,-2$	10_{126}	$4\,1,3,-2$	10_{127}	$4\,1,2\,1,-2$	10_{129}	$3\,2,2\,1,-2$
10_{130}	$3\,1\,1,3,-2$	10_{131}	$3\,1\,1,2\,1,-2$	10_{133}	$2\,3,2\,1,-2$	10_{134}	$2\,2\,1,3,-2$
10_{135}	$2\,2\,1,2\,1,-2$	10_{137}	$2\,2,2\,1\,1,-2$	10_{138}	$2\,1\,1,2\,1\,1,-2$	10_{141}	$4,2\,1,-3$
10_{142}	$3\,1,3,-2\,-1$	10_{143}	$3\,1,3,-3$	10_{144}	$3\,1,2\,1,-3$	10_{146}	$2\,2,2\,1,-3$
10_{147}	$2\,1\,1,3,-3$	10_{148}	$(3,2)\,(3,-2)$	10_{149}	$(3,2)\,(2\,1,-2)$	10_{150}	$(2\,1,2)\,(3,-2)$
10_{151}	$(2\,1,2)\,(2\,1,-2)$	10_{155}	$-3:2:2$	10_{156}	$-3:2:2\,0$	10_{157}	$-3:2\,0:2\,0$
10_{158}	$-3\,0:2:2$	10_{159}	$-3\,0:2:2\,0$	10_{160}	$-3\,0:2\,0:2\,0$	10_{162}	$-3\,0:-2\,0:-2\,0$
10_{163}	$8^*-3\,0$	10_{164}	$8^*2:-2\,0$	10_{165}	$8^*2:.-2\,0$		

$K11n1$	$23,211,-2$	$K11n2$	$221,211,-2$	$K11n3$	$221,22,-2$	$K11n4$	$(211,2)\,(3,-2)$
$K11n5$	$(211,2)(21,-2)$	$K11n7$	$(211,-2)\,(21,2)$	$K11n8$	$(22,-2)(21,2)$	$K11n10$	$(211,-2)\,(3,2)$
$K11n11$	$(22,-2)\,(3,2)$	$K11n13$	$5,211,-2$	$K11n14$	$41,211,-2$	$K11n15$	$41,22,-2$
$K11n16$	$32,211,-2$	$K11n17$	$311,211,-2$	$K11n18$	$311,22,-2$	$K11n21$	$(21,2+)(21,-2)$
$K11n22$	$(21,2+1)\ -(21,2)$	$K11n23$	$(21,2+)\ -(3,2)$	$K11n25$	$(3,2+)\,(21,-2)$	$K11n26$	$(3,2+)\ -(21,2)$
$K11n28$	$24,21,-2$	$K11n29$	$231,21,-2$	$K11n30$	$231,3,-2$	$K11n32$	$(22,2)\,(21,-2)$
$K11n33$	$(22,2)\,(3,-2)$	$K11n35$	$.(21,-2).20$	$K11n36$	$.(3,-2).20$	$K11n37$	$(3,2+)\,(3,-2)$
$K11n40$	$.(21,-2).2$	$K11n41$	$.(3,-2).2$	$K11n43$	$.20.(21,-2)$	$K11n44$	$.20.(3,-2)$
$K11n48$	$31,22,-2-1$	$K11n51$	$213,21,-2$	$K11n52$	$2121,21,-2$	$K11n53$	$2121,3,-2$
$K11n54$	$2112,21,-2$	$K11n55$	$21111,21,-2$	$K11n56$	$21111,3,-2$	$K11n58$	$312,21,-2$
$K11n59$	$3111,21,-2$	$K11n60$	$3111,3,-2$	$K11n62$	$42,21,-2$	$K11n63$	$411,21,-2$
$K11n64$	$411,3,-2$	$K11n65$	$(3,-2-1)\,(21,2)$	$K11n66$	$(21,-3)\,(21,2)$	$K11n68$	$(3,21)\,(21,-2)$
$K11n69$	$(3,21)\,(3,-2)$	$K11n71$	$21,3,21,-2$	$K11n72$	$21,21,21,-2$	$K11n75$	$3,21,21,-2$
$K11n76$	$3,3,21,-2$	$K11n78$	$3,21,3,-2$	$K11n82$	$4,22,-3$	$K11n83$	$31,22,-3$
$K11n84$	$22,22,-3$	$K11n85$	$2111,3,-3$	$K11n86$	$-2-1-1:2:20$	$K11n87$	$212,21,-3$
$K11n89$	$31,211,-3$	$K11n90$	$31,211,-2-1$	$K11n91$	$4,211,-3$	$K11n93$	$-2-10:21:2$
$K11n94$	$8^{*}-2-1-10$	$K11n95$	$20.-2-1.-20.2$	$K11n98$	$(21,-3)\,(3,2)$	$K11n99$	$(3,-2-1)\,(3,2)$
$K11n100$	$221,3,-3$	$K11n101$	$23,21,-3$	$K11n103$	$211,211,-3$	$K11n105$	$2111,21,-3$
$K11n106$	$212,3,-3$	$K11n108$	$-30:21:2$	$K11n109$	$-2-10:-30:-20$	$K11n110$	$-2-1-10:2:20$
$K11n112$	$-2-1-10:2:2$	$K11n113$	$-2-2:2:2$	$K11n114$	$-4:2:20$	$K11n115$	$-2-2:20:20$
$K11n117$	$-40:20:20$	$K11n118$	$20.-3.-20.2$	$K11n119$	$8^{*}21::-20$	$K11n120$	$8^{*}-2-10:.20$
$K11n121$	$-2-2:-20:-20$	$K11n122$	$32,3,-3$	$K11n123$	$2.21.-2.2$	$K11n124$	$-2-20:2:20$
$K11n125$	$-2-1-1:20:20$	$K11n127$	$-2-1-1:-20:-20$	$K11n128$	$8^{*}-2-10:.2$	$K11n129$	$-2-10:3:2$
$K11n130$	$8^{*}-2-10:2$	$K11n131$	$-30:210:2$	$K11n132$	$-2-10:30:2$	$K11n134$	$2.-2-1.2.2$
$K11n136$	$2-10:-2-10:-20$	$K11n137$	$311,21,-3$	$K11n140$	$41,21,-3$	$K11n141$	$41,3,-2-1$
$K11n142$	$2.3.-2.20$	$K11n144$	$-2-1-10:-20:-20$	$K11n146$	$8^{*}210:-20$	$K11n147$	$8^{*}-2-10:20$
$K11n148$	$9^{*}.-2-1$	$K11n149$	$8^{*}-3-10$	$K11n150$	$8^{*}-40$	$K11n153$	$8^{*}3::-20$
$K11n154$	$8^{*}-30:.20$	$K11n155$	$8^{*}30::-20$	$K11n156$	$10^{*}-20$	$K11n157$	$8^{*}2.-20.20$
$K11n158$	$8^{*}30:-20$	$K11n159$	$8^{*}-30:20$	$K11n160$	$8^{*}2:2:-20$	$K11n161$	$8^{*}3:-20$
$K11n162$	$8^{*}2:.-20:.2$	$K11n163$	$8^{*}-30.20$	$K11n164$	$2.2.-2.20.20$	$K11n165$	$8^{*}2.20.-20$
$K11n166$	$8^{*}2:20:-20$	$K11n167$	$2.2.-2.2.20$	$K11n168$	$8^{*}-30::20$	$K11n169$	$-3-10:2:2$
$K11n170$	$20.3.-2.2$	$K11n171$	$-40:2:2$	$K11n172$	$8^{*}20:20:-20$	$K11n173$	$8^{*}20:-20:20$
$K11n174$	$9^{*}2.-2$	$K11n175$	$8^{*}2:.2:.-20$	$K11n176$	$8^{*}2:-20:20$	$K11n177$	$9^{*}20.-2$
$K11n178$	$10^{**}-20$	$K11n179$	$2.-3.2.20$	$K11n180$	$-3-10:-20:-20$	$K11n181$	$-40:-20:-20$
$K11n182$	$9^{*}.20:.-2$	$K11n184$	$9^{*}.2:.-2$	$K11n185$	$9^{*}.-3$		

$K12n1$	$(-2\ -1\ -1,2)\,1\,(2\,1,2)$	$K12n2$	$(2\,1\,1,-2)\,1\,(2\,1,2)$	$K12n3$	$(-2\ -1\ -1,-2)\,1\,(2\,1,2)$
$K12n4$	$(2\,1\,1,2)\,1\,(-2\ -1,-2)$	$K12n5$	$(2\,1\,1,2)\,1\,(2\,1,-2)$	$K12n6$	$(2\,1\,1,2)\,1\,(-2\ -1,2)$
$K12n8$	$(2\,1\,1,-2)\,1\,(3,2)$	$K12n9$	$(-2\ -1\ -1,-2)\,1\,(3,2)$	$K12n11$	$2\,3\,1,-2\ -1\ -1,2$
$K12n12$	$2\,3\,1,2\,1\,1,-2$	$K12n13$	$-2\ -3\ -1,2\,1\,1,2$	$K12n14$	$(-2\ -1\ -1,2)\,(2\,1\,1,2)$
$K12n15$	$(2\,1\,1,-2)\,(2\,1\,1,2)$	$K12n17$	$(2\,2,2)\,(-2\ -1\ -1,2)$	$K12n18$	$(2\,2,2)\,(2\,1\,1,-2)$
$K12n21$	$.2.(-2\ -1\ -1,2)\,0$	$K12n22$	$.2.(2\,1\,1,-2)\,0$	$K12n24$	$(-2\ -1\ -1,2)\,(3,2+1)$
$K12n26$	$.2.(2,-2\ -1\ -1)$	$K12n27$	$.2.(-2,2\,1\,1)$	$K12n29$	$.2.(2,-2\ -1\ -1)\,0$
$K12n30$	$.2.(-2,2\,1\,1)\,0$	$K12n32$	$.2.(-2\ -1\ -1,2)$	$K12n33$	$.2.(2\,1\,1,-2)$
$K12n35$	$2\,1\,2\,1,-2\ -1\ -1,2$	$K12n36$	$2\,1\,2\,1,2\,1\,1,-2$	$K12n37$	$-2\ -1\ -2\ -1,2\,1\,1,2$
$K12n38$	$2\,1\,1\,1\,1,-2\ -1\ -1,2$	$K12n39$	$2\,1\,1\,1\,1,2\,1\,1,-2$	$K12n40$	$-2\ -1\ -1\ -1\ -1,2\,1\,1,2$
$K12n42$	$3\,1\,1\,1,-2\ -1\ -1,2$	$K12n43$	$3\,1\,1\,1,2\,1\,1,-2$	$K12n44$	$-3\ -1\ -1\ -1,2\,1\,1,2$
$K12n46$	$4\,1\,1,-2\ -1\ -1,2$	$K12n47$	$4\,1\,1,2\,1\,1,-2$	$K12n48$	$-4\ -1\ -1,2\,1\,1,2$
$K12n49$	$(-2\ -1\ -1,2)\,(3,2\,1)$	$K12n50$	$(2\,1\,1,-2)\,(3,2\,1)$	$K12n52$	$(2\,1\,1,2)\,(-3,2\,1)$
$K12n53$	$(2\,1\,1,2)\,(3,-2\ -1)$	$K12n55$	$-2\ -1\ -1,2\,1,2\,1,2$	$K12n58$	$2\,1\,1,2\,1,2\,1,-2$
$K12n60$	$2\,1\,1,-2\ -1,2\,1,2$	$K12n61$	$2\,1\,1,2\,1,-2\ -1,2$	$K12n62$	$-2\ -1\ -1,2,3,2\,1$
$K12n64$	$2\,1\,1,2,3,-2\ -1$	$K12n66$	$-2\ -1\ -1,3,2\,1,2$	$K12n69$	$(2\,2,2)\,1\,(2\,1,-2)$
$K12n70$	$(2\,2,2)\,1\,(-2\ -1,-2)$	$K12n71$	$(2\,1,2+1)\,1\,(-2\ -1,2)$	$K12n72$	$(2\,1,2+1)\,1\,(2\,1,-2)$
$K12n73$	$(2\,1,2+1)\,1\,(-2\ -1,-2)$	$K12n74$	$(3,2+1)\,1\,(-2\ -1,2)$	$K12n75$	$(3,2+1)\,1\,(2\,1,-2)$
$K12n76$	$(3,2+1)\,1\,(-2\ -1,-2)$	$K12n77$	$2\,4\,1,-2\ -1,2$	$K12n78$	$2\,4\,1,2\,1,-2$
$K12n79$	$-2\ -4\ -1,2\,1,2$	$K12n80$	$(2\,2\,1,2)\,(-2\ -1,2)$	$K12n81$	$(2\,2\,1,2)\,(2\,1,-2)$
$K12n83$	$(2\,2\,1,-2)\,(2\,1,2)$	$K12n84$	$(-2\ -2\ -1,2)\,(2\,1,2)$	$K12n85$	$(-2\ -1,2),2,(2\,1,2)$
$K12n86$	$(2\,1,-2),2,(2\,1,2)$	$K12n88$	$(2\,1,2),-2,(2\,1,2)$	$K12n90$	$(3,2),2,(2\,1,-2)$
$K12n92$	$(3,2),-2,(2\,1,2)$	$K12n94$	$(2\,3,2)\,(-2\ -1,2)$	$K12n95$	$(2\,3,2)\,(2\,1,-2)$
$K12n97$	$(2\,2,2+1)\,(-2\ -1,2)$	$K12n98$	$6^*(-2\ -1,2).2\,1$	$K12n99$	$6^*(2\,1,-2).2\,1$
$K12n100$	$.2.(-2\ -1,2)\,0.2$	$K12n101$	$.2.(2\,1,-2)\,0.2$	$K12n103$	$(4\,1,2)\,(-2\ -1,2)$
$K12n104$	$(4\,1,2)\,(2\,1,-2)$	$K12n106$	$(4\,1,-2)\,(2\,1,2)$	$K12n107$	$(-4\ -1,2)\,(2\,1,2)$
$K12n108$	$(3\,1\,1,2)\,(-2\ -1,2)$	$K12n109$	$(3\,1\,1,2)\,(2\,1,-2)$	$K12n111$	$(3\,1\,1,-2)\,(2\,1,2)$
$K12n112$	$(-3\ -1\ -1,2)\,(2\,1,2)$	$K12n113$	$(5,2)\,(-2\ -1,2)$	$K12n114$	$(5,2)\,(2\,1,-2)$
$K12n116$	$(3\,2,2)\,(-2\ -1,2)$	$K12n117$	$(3\,2,2)\,(2\,1,-2)$	$K12n122$	$6^*(-2\ -1,2).2\,1\,0$
$K12n123$	$6^*(2\,1,-2).2\,1\,0$	$K12n125$	$6^*(2,-2\ -1).2\,1$	$K12n126$	$6^*(-2,2\,1).2\,1$
$K12n127$	$6^*(2,-2\ -1).2\,1\,0$	$K12n128$	$6^*(-2,2\,1).2\,1\,0$	$K12n130$	$(-2\ -1,2),2,(2,2\,1)$
$K12n131$	$(2\,1,-2),2,(2,2\,1)$	$K12n133$	$(2\,1,2),-2,(2,2\,1)$	$K12n135$	$(3,2),2,(-2,2\,1)$
$K12n137$	$(3,2),-2,(2,2\,1)$	$K12n140$	$.2.(2\,1,-2).2$	$K12n142$	$.2\,1\,1.-2-1.2\,0$
$K12n144$	$.2\,1.-2-1.3$	$K12n145$	$.2\,1.-2-1.3\,0$	$K12n146$	$.2\,2.-2-1.2\,0$
$K12n147$	$.2\,1.-2-1.2\,1$	$K12n150$	$2\,1\,1\,1\,1,-2\ -1,2$	$K12n151$	$2\,1\,1\,1\,1,2\,1,-2$
$K12n152$	$2\,1\,1\,1\,1,-2\ -1,-2$	$K12n154$	$2\,2\,3,2\,1,-2$	$K12n155$	$2\,2\,3,-2\ -1,-2$
$K12n157$	$(2\,1,2\,1+1)\,(2\,1,-2)$	$K12n158$	$(2\,1,2\,1+1)\,(-2\ -1,-2)$	$K12n159$	$2\,2\,2\,1,-2\ -1,2$
$K12n160$	$2\,2\,1\,1\,1,-2\ -1,2$	$K12n161$	$2\,2\,1\,1\,1,2\,1,-2$	$K12n162$	$2\,2\,1\,1\,1,-2\ -1,-2$
$K12n163$	$2\,1\,2\,1\,1,-2\ -1,2$	$K12n164$	$2\,1\,2\,1\,1,2\,1,-2$	$K12n165$	$2\,1\,2\,1\,1,-2\ -1,-2$
$K12n166$	$4\,2\,1,-2\ -1,2$	$K12n167$	$4\,2\,1,2\,1,-2$	$K12n168$	$4\,2\,1,-2\ -1,-2$
$K12n169$	$3\,1\,2\,1,-2\ -1,2$	$K12n170$	$3\,1\,2\,1,2\,1,-2$	$K12n171$	$3\,1\,2\,1,-2\ -1,-2$
$K12n173$	$8^*(-2\ -1,2)$	$K12n174$	$8^*(2\,1,-2)$	$K12n176$	$.(2\,1,2).-2.2\,0$
$K12n177$	$(2\,2,3)\,(-2\ -1,2)$	$K12n178$	$(2\,2,3)\,(2\,1,-2)$	$K12n180$	$(2\,2,-3)\,(2\,1,2)$
$K12n181$	$(-2\ -2,3)\,(2\,1,2)$	$K12n182$	$(2\,1\,1,2\,1)\,(-2\ -1,2)$	$K12n183$	$(2\,1\,1,2\,1)\,(2\,1,-2)$
$K12n185$	$(3\,1,2\,1)\,(-2\ -1,2)$	$K12n186$	$(3\,1,2\,1)\,(2\,1,-2)$	$K12n188$	$(-3\ -1,2\,1)\,(2\,1,2)$
$K12n189$	$(3\,1,-2\ -1)\,(2\,1,2)$	$K12n190$	$(4,3)\,(-2\ -1,2)$	$K12n191$	$(4,3)\,(2\,1,-2)$
$K12n193$	$(3\,1,3)\,(-2\ -1,2)$	$K12n194$	$(3\,1,3)\,(2\,1,-2)$	$K12n196$	$(-3\ -1,3)\,(2\,1,2)$
$K12n197$	$(3\,1,-3)\,(2\,1,2)$	$K12n201$	$(-2\ -1,2):2:2$	$K12n202$	$(2\,1,-2):2:2$
$K12n204$	$.2.-2.(2,2\,1)\,0$	$K12n205$	$.(-2\ -1,2).2.2\,0$	$K12n206$	$.(2\,1,-2).2.2\,0$
$K12n208$	$.2.2.(2,-2\ -1)\,0$	$K12n209$	$.2.2.(-2,2\,1)\,0$	$K12n211$	$(2\,1,2\,1)\,1\,(-2\ -1,2)$
$K12n212$	$.2.2.(-2\ -1,2)\,0$	$K12n213$	$.2.2.(2\,1,-2)\,0$	$K12n215$	$(4,2\,1)\,(-2\ -1,2)$
$K12n216$	$(4,2\,1)\,(2\,1,-2)$	$K12n219$	$2\,1\,1,-2\ -1,2,2\,1$	$K12n222$	$2\,1\,1,2\,1,-2,2\,1$
$K12n223$	$-2\ -1\ -1,2\,1,2,2\,1$	$K12n224$	$2\,2,-2\ -1,2,2\,1$	$K12n226$	$.(2,-2\ -1).2.2\,0$
$K12n227$	$.(-2,2\,1).2.2\,0$	$K12n233$	$6\,1,-2\ -1,2$	$K12n234$	$6\,1,2\,1,-2$
$K12n235$	$6\,1,-2\ -1,-2$	$K12n236$	$3\,3\,1,-2\ -1,2$	$K12n237$	$3\,3\,1,2\,1,-2$
$K12n238$	$3\,3\,1,-2\ -1,-2$	$K12n239$	$3\,2\,1\,1,-2\ -1,2$	$K12n240$	$3\,2\,1\,1,2\,1,-2$
$K12n241$	$3\,2\,1\,1,-2\ -1,-2$	$K12n245$	$(3,3+1)\,(-2\ -1,2)$	$K12n246$	$(3,3+1)\,(2\,1,-2)$
$K12n247$	$(3,3+1)\,(-2\ -1,-2)$	$K12n248$	$5\,1\,1,-2\ -1,2$	$K12n249$	$5\,1\,1,2\,1,-2$
$K12n250$	$5\,1\,1,-2\ -1,-2$	$K12n252$	$2:(2,-2\ -1)\,0:2\,0$	$K12n253$	$2:(2,-2\ -1)\,0:-2\,0$
$K12n254$	$2:(-2,2\,1)\,0:-2\,0$	$K12n255$	$2:(-2,2\,1)\,0:2\,0$	$K12n259$	$2:(2,2\,1)\,0:-2\,0$
$K12n261$	$2\,1\,1,3,2,-2\ -1$	$K12n262$	$2:(-2\ -1,2)\,0:2\,0$	$K12n263$	$2:(2\,1,-2)\,0:2\,0$
$K12n266$	$(2\,1,-2):2\,0:2\,0$	$K12n269$	$(2\,2,2)\,(-3,2\,1)$	$K12n270$	$(2\,2,2)\,(3,-2\ -1)$
$K12n271$	$.2.-2-1.2\,1\,1\,0$	$K12n272$	$.2\,1\,1.-2-1.2$	$K12n274$	$.3.-2-1.2\,1\,0$
$K12n275$	$.2.-2-1.2\,2\,0$	$K12n277$	$.3\,1.-2-1.2$	$K12n278$	$.4.-2-1.2$
$K12n280$	$2.-2\,0.-2.2\,1\,1\,0$	$K12n281$	$2\,1\,1\,0.2.-2.2\,0$	$K12n283$	$8^*2\,1\,1.-2\,0$
$K12n284$	$8^*-2-1-1::2\,0$	$K12n285$	$8^*-2-1-1::-2\,0$	$K12n286$	$.2\,1\,1\,1.-2\,0.2$
$K12n287$	$8^*2\,1\,1::-2\,0$	$K12n288$	$-2\ -2\ -1,2\,2\,1,2$	$K12n289$	$2\,2\,1,2\,2\,1,-2$
$K12n290$	$(-2\ -2\ -1,2)\,(3,2)$	$K12n291$	$(2\,2\,1,-2)\,(3,2)$	$K12n294$	$-3\ -1,2\,1\,1,2\,1\,1$
$K12n295$	$-2\ -1\ -2,2\,1\,1,2\,1$	$K12n296$	$2\,1\,2,2\,1\,1,-2\ -1$	$K12n297$	$3\,1,-2\ -2,2\,1\,1$
$K12n298$	$8^*-2-1-10:.2\,0$	$K12n299$	$-2.-2\,0.-2.2\,1\,1\,0$	$K12n300$	$-2\ -1\ -1\ -1,2\,1\,1,2\,1$
$K12n301$	$2\,1\,1\,1,2\,1\,1,-2\ -1$	$K12n302$	$.2\,1\,1\,1.-2.2$	$K12n303$	$4\,1,-2\ -2\ -1,2$
$K12n304$	$4\,1,2\,2\,1,-2$	$K12n305$	$-4\ -1,2\,2\,1,2$	$K12n306$	$3\,1\,1,-2\ -2\ -1,2$
$K12n307$	$3\,1\,1,2\,2\,1,-2$	$K12n308$	$-3\ -1\ -1,2\,2\,1,2$	$K12n311$	$-2\ -1\ -10.2.2.2\,0$
$K12n312$	$-2\ -1\ -1:2:2\,1\,0$	$K12n315$	$8^*3.-2-1$	$K12n316$	$2\,0.2\,1.-2\,0.3\,0$
$K12n317$	$(2\,1\,1,-2\ -1)\,(3,2)$	$K12n319$	$2\,0.-2-1.-2\,0.-3\,0$	$K12n320$	$8^*-3.2\,1$

$K12n323$	$3.-2-10.-2.20$	$K12n324$	$-3.-2-10.-2.20$	$K12n325$	$8^*21.-30$
$K12n326$	$8^*-2-1.21$	$K12n327$	$20.21.-20.210$	$K12n330$	$(-3,21)\,(3,2+1)$
$K12n333$	$24,-3,21$	$K12n334$	$-2-4,3,21$	$K12n335$	$(-2-1-1,21)\,(3,2)$
$K12n337$	$-2-3,211,21$	$K12n338$	$221,4,-2-1$	$K12n339$	$221,-4,21$
$K12n341$	$221,31,-2-1$	$K12n342$	$221,-3-1,21$	$K12n343$	$-2-2-1,31,21$
$K12n344$	$(31,-2-1)\,(3,2)$	$K12n345$	$(-3-1,21)\,(3,2)$	$K12n347$	$23,31,-2-1$
$K12n348$	$-2-1:30:210$	$K12n350$	$21:-30:210$	$K12n353$	$-2-1-10:-2-10:-20$
$K12n356$	$8^*-2-1.20.-2$	$K12n357$	$8^*-2-1.-20.-2$	$K12n358$	$2.-30.-2-1.20$
$K12n359$	$3:21:-2-10$	$K12n360$	$-2-1.20.-2.2.-20$	$K12n361$	$8^*20.21:.-2$
$K12n363$	$21:2:-2-1-10$	$K12n364$	$.2.(-2-1,21)$	$K12n365$	$.2.(21,-2-1)$
$K12n367$	$2.-3.21.20$	$K12n369$	$20.21.20.-2-10$	$K12n372$	$210.-2-1.20.20$
$K12n373$	$210.21.-20.20$	$K12n375$	$2.2.-2.20.-2-1$	$K12n376$	$2.2.-2.-20.-2-1$
$K12n378$	$2.-2.2.20.21$	$K12n379$	$2211,-2-1,21$	$K12n380$	$-2-2-1-1,21,21$
$K12n381$	$-2-1.-2.-2.210$	$K12n383$	$-2-1.2.2.210$	$K12n384$	$21.-2.2.210$
$K12n385$	$21.2.-2.210$	$K12n388$	$-2-2-1-1,3,21$	$K12n389$	$2211,-3,21$
$K12n390$	$211.2.-2.20$	$K12n391$	$211.-2.2.20$	$K12n392$	$-3:21:210$
$K12n393$	$8^*2.20:-2-10$	$K12n395$	$-30:210:210$	$K12n396$	$8^*2.-20:210$
$K12n399$	$-2-1-1:-2-10:-20$	$K12n400$	$-2-1-1:210:20$	$K12n401$	$211:210:-20$
$K12n405$	$8^*21:.-2-10$	$K12n406$	$8^*2:.20:.-2-10$	$K12n407$	$8^*2:.-20:.-2-10$
$K12n408$	$8^*2:.-20:.210$	$K12n409$	$20.-2-1.20.30$	$K12n410$	$20.21.20.-30$
$K12n412$	$20.3.20.-2-10$	$K12n413$	$20.-3.20.210$	$K12n415$	$210.-3.2.20$
$K12n416$	$-2-1:210:210$	$K12n420$	$8^*21.-20:.2$	$K12n421$	$.2.(-2-1,21)\,0$
$K12n422$	$.2.(21,-2-1)\,0$	$K12n424$	$8^*20.-2-10:.20$	$K12n427$	$8^*-20.210:.20$
$K12n428$	$-2-1.2.2.20.2$	$K12n429$	$8^*2:-2-10:20$	$K12n431$	$8^*2:210:-20$
$K12n434$	$8^*-2-2.20$	$K12n435$	$2.-2-1.20.210$	$K12n440$	$8^*21.-2:.2$
$K12n441$	$8^*-3::21$	$K12n443$	$8^*-2-1::-30$	$K12n445$	$8^*21::-30$
$K12n447$	$.21.-2-1.2.20$	$K12n448$	$8^*20.21:-20$	$K12n450$	$8^*2.21.-20$
$K12n451$	$8^*2:.-2-10:.-20$	$K12n452$	$3.-20.-2.210$	$K12n453$	$8^*2:.210:.-20$
$K12n454$	$(4,-2-1)\,(3,2)$	$K12n455$	$(-4,21)\,(3,2)$	$K12n458$	$8^*-2-1-20$
$K12n459$	$8^*2110::-20$	$K12n460$	$8^*22.-20$	$K12n461$	$102^*:-2-10$
$K12n462$	$8^*-20.2:-2-10$	$K12n463$	$8^*-20.2:210$	$K12n465$	$102^*20:.-2$
$K12n466$	$41,31,-2-1$	$K12n467$	$41,-3-1,21$	$K12n468$	$-4-1,31,21$
$K12n469$	$311,31,-2-1$	$K12n470$	$311,-3-1,21$	$K12n471$	$-3-1-1,31,21$
$K12n474$	$5,31,-2-1$	$K12n476$	$-5,31,21$	$K12n477$	$32,31,-2-1$
$K12n478$	$32,-3-1,21$	$K12n479$	$-3-2,31,21$	$K12n480$	$-3:21:21$
$K12n481$	$-2.-20.-2.220$	$K12n482$	$-2-1-1:21:20$	$K12n484$	$8^*-2-1.2:.2$
$K12n485$	$-2-1.-2.-2.2.2$	$K12n486$	$210.-2.-20.-30$	$K12n489$	$210.2.20.-30$
$K12n490$	$-3.-20.-2.210$	$K12n491$	$8^*2:.-2-10:.20$	$K12n492$	$210.-3.20.20$
$K12n493$	$210.2.-3.20$	$K12n496$	$(-3,21)\,(21,21)$	$K12n497$	$2121,-3,21$
$K12n498$	$8^*20.2:-2-10$	$K12n500$	$.-2-1.4.20$	$K12n501$	$.-2-1.31.20$
$K12n504$	$8^*-2-20:.20$	$K12n505$	$8^*220:.-20$	$K12n506$	$8^*20.2:.-2-10$
$K12n507$	$9^*2:-2-10$	$K12n508$	$(-2-1,21)\,(21,21)$	$K12n509$	$-3:-2-10:-2-10$
$K12n510$	$-3:210:210$	$K12n511$	$210.2.20.-2-10$	$K12n512$	$8^*20.20:.-2-10$
$K12n513$	$8^*-20.20:.210$	$K12n514$	$-2-1.2.2.2.2$	$K12n515$	$21.-2.2.2.2$
$K12n516$	$21.2.2.-2.2$	$K12n517$	$2.-2.21.20.2$	$K12n520$	$2.21.-3.20$
$K12n521$	$8^*2.-20.210$	$K12n522$	$41,4,-2-1$	$K12n524$	$-30:-2-10:-2-10$
$K12n525$	$21:21:-30$	$K12n527$	$2.21.-2.2.20$	$K12n529$	$2.-2.21.210$
$K12n530$	$8^*20.-2-10:20$	$K12n531$	$21.-2.2.20.2$	$K12n532$	$9^*2.-2-1$
$K12n533$	$8^*-2-1.2:.20$	$K12n534$	$8^*2.20.-2-10$	$K12n536$	$8^*-2.-20.-2-10$
$K12n537$	102^*-2-10	$K12n538$	$9^*-2-1:.20$	$K12n539$	$9^*21:.-20$
$K12n540$	$8^*20.-2-10:.2$	$K12n541$	$2.-2-1.3.20$	$K12n542$	$-2.-2-1.-2.2.20$
$K12n543$	$2.2.-2-1.2.2$	$K12n544$	$2.-2.-2-1.-2.2$	$K12n545$	$2.-2.21.2.2$
$K12n546$	$.2.-2-1.2.30$	$K12n547$	$.3.2.-2-1.2$	$K12n548$	$8^*2.-2-1.2$
$K12n551$	$-2-1-1-10:-20:-20$	$K12n553$	$3,21,21,-2-1$	$K12n555$	$-3,21,21,21$
$K12n556$	$3,21,-2-1,21$	$K12n557$	$-2-20:-2-10:-20$	$K12n559$	$8^*30:.-2:.20$
$K12n560$	$8^*21:-30$	$K12n561$	$8^*3:.-2:.20$	$K12n562$	$.21.-2.40$
$K12n563$	$3:220:-20$	$K12n564$	$2121,3,-2-1$	$K12n565$	$-4-2,3,21$
$K12n566$	$-3-1-2,3,21$	$K12n567$	$9^*-20.210$	$K12n568$	$9^*20.2::-20$
$K12n569$	$-2-20:-30:-20$	$K12n570$	$51,21,-2-1$	$K12n571$	$-5-1,21,21$
$K12n572$	$321,21,-2-1$	$K12n573$	$-3-2-1,21,21$	$K12n576$	$321,3,-2-1$
$K12n578$	$321,-3,21$	$K12n580$	$-3:-2-20:-20$	$K12n581$	$51,3,-2-1$
$K12n583$	$51,-3,21$	$K12n584$	$21.-2.3.2$	$K12n585$	$-2-1.3.2.2$
$K12n586$	$21.3.-2.2$	$K12n587$	$2.-2.211.20$	$K12n588$	$9^*-2-10.20$
$K12n589$	$9^*210:-20$	$K12n590$	$30.-2-1.20.20$	$K12n592$	$30.21.-20.20$
$K12n593$	$3.-2-1.20.20$	$K12n595$	$3.21.-20.20$	$K12n596$	$-2.2.20.211$
$K12n597$	$9^*-2-10:20$	$K12n598$	8^*-2-3	$K12n599$	$8^*-2-1.2:2$
$K12n600$	$(3,3)\,(3,-2-1)$	$K12n602$	$(3,3)\,(-3,21)$	$K12n604$	$(3,3)\,(-2-1,21)$
$K12n606$	$8^*-2-10:2:20$	$K12n607$	$-2-1.3.20.2$	$K12n608$	$-2-1.2.3.2$
$K12n609$	$8^*2.-2-1:2$	$K12n610$	$30.2.20.-2-10$	$K12n611$	$3.2.20.-2-10$
$K12n612$	$-2-2-10:-20:-20$	$K12n613$	$8^*211:-20$	$K12n614$	$8^*-2-1-10:20$
$K12n615$	$8^*2110:-20$	$K12n616$	$9^*-2-10.2$	$K12n618$	$8^*210.-20:20$
$K12n619$	$8^*210:20:-20$	$K12n620$	$9^*210.-2$	$K12n621$	$8^*21:20:-20$
$K12n622$	$8^*21:-20:20$	$K12n623$	$8^*-2-10:.2:.20$	$K12n625$	$8^*210:.2:.-20$
$K12n626$	$9^*.-2:.210$	$K12n627$	$210.2.-2.2.20$	$K12n628$	$9^*.-2-1:.2$
$K12n631$	$8^*210:-20:20$	$K12n632$	$9^*.21:.-2$	$K12n633$	$8^*-2-10.20:20$

$K12n635$	$9^*21.-2$	$K12n636$	$8^*220:-20$	$K12n637$	$9^*.-2-1-1$
$K12n641$	$31:210:-20$	$K12n643$	$4:-2-10:20$	$K12n645$	$4:210:-20$
$K12n646$	$8^*20.-2-10:2$	$K12n649$	$8^*-2-10.20.20$	$K12n651$	$8^*210.20.-20$
$K12n652$	$8^*210.-20.20$	$K12n653$	$-2-1.2.2.30$	$K12n654$	$3.2.2.-2-1$
$K12n656$	$3.-2.2.21$	$K12n657$	$2.-2-1.2.30$	$K12n658$	$8^*-2-10.20:2$
$K12n659$	$3.-2-1.2.2$	$K12n661$	$2:40:-2-10$	$K12n662$	$3.2.-2-1.2$
$K12n663$	$9^*20::-2-1$	$K12n664$	$9^*.-2-2$	$K12n666$	8^*-5
$K12n667$	8^*-3-2	$K12n668$	8^*-3-20	$K12n669$	8^*-50
$K12n671$	$(3,2),-2,(3,2)$	$K12n674$	$(41,-2)(3,2)$	$K12n675$	$(-4-1,2)(3,2)$
$K12n677$	$(311,-2)(3,2)$	$K12n678$	$(-3-1-1,2)(3,2)$	$K12n682$	$(3,2),-2,(2,3)$
$K12n683$	$2.-2.3.2.2$	$K12n684$	$8^*-3:.3$	$K12n685$	$8^*-3:.30$
$K12n686$	$8^*3:.-30$	$K12n687$	$8^*-30:.30$	$K12n695$	$2:(2,3)0:-20$
$K12n698$	$8^*2:.-40$	$K12n699$	$8^*2:.-3-10$	$K12n700$	$8^*31:.-20$
$K12n701$	$8^*4:.-20$	$K12n702$	$102^*.-2.2$	$K12n703$	$102^*.-2:2$
$K12n704$	$9^*30:.-20$	$K12n705$	$101^*2:::.-20$	$K12n706$	$101^*-20::.-20$
$K12n707$	$2.2.2.-2.3$	$K12n708$	$-2.2.3.2.2$	$K12n709$	$8^*-3:3$
$K12n710$	$8^*-3:30$	$K12n711$	$8^*3:-30$	$K12n712$	$9^*3:.-20$
$K12n713$	$8^*30:2:-20$	$K12n714$	$9^*-30.20$	$K12n715$	$8^*30.2:-20$
$K12n716$	$9^*-3.20$	$K12n717$	$8^*-2.-20.-20:2$	$K12n718$	$8^*2.3.-20$
$K12n719$	$2.-2.-2.-2.30$	$K12n720$	$8^*20.-20.2:20$	$K12n721$	$-4-1,41,2$
$K12n722$	$41,41,-2$	$K12n723$	$-4-1,311,2$	$K12n724$	$41,311,-2$
$K12n726$	$311,311,-2$	$K12n727$	$8^*-30:30$	$K12n728$	$102^*20::-2$
$K12n729$	$102^*-20::-2$	$K12n730$	$8^*-2.2.-20:20$	$K12n731$	$102^*-20.2$
$K12n732$	$101^*2::-20$	$K12n733$	$8^*-30.30$	$K12n734$	$8^*20.30:.-20$
$K12n735$	$8^*20.3:.-20$	$K12n736$	$102^*-20::2$	$K12n737$	$8^*-3-10::20$
$K12n738$	$8^*2.2.20.-20$	$K12n740$	$8^*2.2.-20.20$	$K12n741$	$8^*2:.30:.-20$
$K12n742$	$9^*-3::20$	$K12n743$	$9^*:30.-20$	$K12n744$	$2.3.-2.20.20$
$K12n745$	$8^*2.30.-20$	$K12n746$	$9^*-30::20$	$K12n747$	$2.-2.-2.-2.3$
$K12n748$	$2.2.2.2.-3$	$K12n751$	$2.2.-2.2.3$	$K12n752$	$2.2.-2.2.30$
$K12n753$	$8^*20.20.2:-20$	$K12n754$	$8^*20.-20:.30$	$K12n755$	$8^*20.20:.-30$
$K12n756$	$8^*20.-20:.3$	$K12n757$	$8^*20.-20:20:2$	$K12n758$	$8^*20.20:-20:2$
$K12n759$	$8^*30.-20:.2$	$K12n760$	$9^*:-30.20$	$K12n761$	$8^*2.20:-20:20$
$K12n762$	$8^*2.20:20:-20$	$K12n763$	$9^*2.-2:.20$	$K12n765$	$9^*2.-2.20$
$K12n766$	$9^*2.2.-20$	$K12n767$	$2:-40:30$	$K12n769$	$8^*.2:20.20:-20$
$K12n770$	$9^*20:.2.-2$	$K12n771$	$8^*.2:20.-20:20$	$K12n772$	$8^*.2:-20.20:20$
$K12n773$	$3:2:-40$	$K12n774$	$3:2:-3-10$	$K12n775$	$102^*-20:20$
$K12n776$	$102^*20:-20$	$K12n777$	$8^*30:.2:.-20$	$K12n778$	$2.-2.3.20.2$
$K12n779$	$2.2.-3.2.20$	$K12n780$	$8^*2.2.20:-20$	$K12n781$	$8^*-2.2.20:20$
$K12n782$	$8^*-2.2.2:20$	$K12n783$	$8^*-30.20.20$	$K12n784$	$9^*20:.20.-2$
$K12n785$	$8^*3:.2:.-20$	$K12n786$	$8^*-30.20:.2$	$K12n787$	$3.2.-2.-20.-2$
$K12n788$	$-2.-20.-2.3.20$	$K12n789$	$8^*20.20.-20:20$	$K12n790$	$8^*20.-20.20:20$
$K12n791$	$8^*-20.20.20:20$	$K12n792$	$2.-4.-20.-2$	$K12n793$	$-2.4.20.2$
$K12n794$	$2.-3-1.-20.-2$	$K12n795$	$-2.31.20.2$	$K12n796$	$8^*2.3:-20$
$K12n797$	$8^*2.30:-20$	$K12n798$	$-2.-2.-2.2.20.20$	$K12n799$	$9^*2.-2:20$
$K12n800$	$9^*2.2:-20$	$K12n802$	$8^*20.2:-20.20$	$K12n803$	$8^*20.2:20.-20$
$K12n804$	$31.-2.2.20$	$K12n805$	$4.-2.2.20$	$K12n806$	$8^*-20:-20:-20:-20$
$K12n807$	$8^*-20:-20:-20:20$	$K12n811$	$9^*.-2:-20.-2$	$K12n813$	$9^*.2:-20.2$
$K12n814$	$8^*20:-30:20$	$K12n816$	$9^*.-2:20.2$	$K12n817$	$-3-1.2.20.2$
$K12n818$	$-4.2.20.2$	$K12n819$	$8^*20.2:-20:2$	$K12n820$	$30.2.20.-30$
$K12n821$	$2:50:-20$	$K12n822$	$-30.2.20.30$	$K12n823$	$-3-2:20:20$
$K12n824$	$2:320:-20$	$K12n825$	$-2.2.3.30$	$K12n826$	$8^*.2:20.2:-20$
$K12n827$	$9^*2:20.-20$	$K12n828$	$9^*-20.20::20$	$K12n829$	$2.-2.-3.-2.2$
$K12n831$	$2.2.-3.2.2$	$K12n832$	$20.2.-3.-20.-2$	$K12n833$	$8^*20.2.2:-20$
$K12n834$	$8^*20.-20:20.20$	$K12n836$	$8^*-20.20:20.20$	$K12n837$	$1212^*-1.-1.-1.-1.-1.-1$
$K12n839$	$111^*:.-20$	$K12n840$	$101^*-20::.20$	$K12n841$	$8^*2.-20.20.20$
$K12n842$	$111^*:::-20$	$K12n843$	$9^*-20:.-20:.-20$	$K12n844$	$8^*2.20.2:.-20$
$K12n845$	$9^*-20::3$	$K12n846$	$8^*4:-20$	$K12n847$	$9^*.-40$
$K12n848$	$8^*30.20.-20$	$K12n849$	$9^*20::-3$	$K12n852$	$8^*30.-20.20$
$K12n853$	$8^*2.2:-20.20$	$K12n854$	$9^*.-2:2.20$	$K12n855$	$32:2:-20$
$K12n856$	$5:2:-20$	$K12n857$	$102^*-20:.2$	$K12n858$	$8^*-20.20.20:2$
$K12n859$	$9^*2.-2::20$	$K12n860$	$8^*20.-30:2$	$K12n861$	$9^*-20.2::20$
$K12n862$	$9^*20.-2::20$	$K12n863$	$9^*20.20:.-2$	$K12n864$	$8^*20.-20.20:2$
$K12n865$	$30.2.-2.2.20$	$K12n866$	$8^*2.20.-20.20$	$K12n867$	$8^*-30.20:2$
$K12n869$	$9^*.-2:.2:.20$	$K12n871$	$9^*20.-2:.2$	$K12n872$	$9^*20.2:.-2$
$K12n873$	$8^*20.-20.-20.20$	$K12n874$	$8^*20.-20.20.20$	$K12n875$	$2.-2.31.20$
$K12n876$	$2.-2.4.20$	$K12n877$	$102^*-20::.20$	$K12n878$	$9^*2.-2:::.20$
$K12n879$	$102^*:-20.20$	$K12n880$	$102^*.2:-20$	$K12n881$	$2.-2.-20.-2.2.20$
$K12n882$	$20.3.20.-30$	$K12n883$	$9^*-20.30$	$K12n884$	$9^*-20.3$
$K12n885$	$9^*20.-3$	$K12n886$	$9^*.-3:.20$	$K12n887$	$8^*2.-3.2$

References

[BN] Bar-Natan, D. (2002) On Khovanov's categorification of the Jones polynomial, *Alg. Geom. Top.* **2**, 337–370.

[BiWi] Birman, J. S. and Williams, R. F. (1983) Knotted Periodical Orbits in Dynamical Systems-I: Lorenz's Equations, Topology **22**, 1, 47–82.

[Cau] Caudron, A. (1982) Classification des nœuds et des enlancements, Public. Math. d'Orsay 82. Univ. Paris Sud, Dept. Math., Orsay.

[ChKo1] Champanerkar, A. and Kofman, I. (2008) Twisting quasi-alternating links, arXiv:math/0712.2990v2 [math.GT]

[ChKo2] Champanerkar, A. and Kofman, I. (2005) On the Mahler measure of Jones polynomials under twisting *Alg. Geom. Top.* **5**, 1-22

[Con] Conway, J. (1970) An enumeration of knots and links and some of their related properties, in *Computational Problems in Abstract Algebra*, Proc. Conf. Oxford 1967 (Ed. J. Leech), 329–358, Pergamon Press, New York.

[Don] Donaldson S. K. (1987) The orientation of Yang-Mills moduli spaces and 4-manifold topology. J. Diferential Geom., **26**, 3, 397-428.

[Gh] Ghys, E. (2006) Knots and Dynamics, preprint, to appear in Proc. ICM-2006, Madrid.

[Gr] Greene, J. (2009) Homologically thin, non-quasialternating links, arXiv:math/0906.2222v1 [math.GT]

[GhLe] Ghys, E. and Leys, J. (2006) Lorenz and Modular Flows: A Visual Introduction, AMS Feature Column, Nov. 2006, http://www.ams.org/featurecolumn/archive/lorenz.html

[HosThi] Hoste, J. and Thistlethwaite, M. *Knotscape*, http://www.math.utk.edu/∼morwen/knotscape.html

[Ja] Jablan, S. V. (2008) Adequacy of link families, arXiv:math/08011.0081v1 [math.GT]

[JaSa] Jablan, S. V., Sazdanović, R. (2007) *LinKnot- Knot Theory by Computer*. World Scientific, New Jersey, London, Singapore.

[JaSa1] Jablan, S. V., Sazdanović, R. (2008) Quasi-alternating links and odd homology: computations and conjectures, arXiv:math/0901.0075v2 [math.GT]

[Kh1] Khovanov, M. (1999) A categorification of the Jones polynomial, arXiv:math/9908171v2 [math.QA]

[Kh2] Khovanov, M. (2002) Patterns in knot homology I, Experimental Mathematics 12, 3 (2003), 365-374 arXiv:math/0201306v1 [math.QA]

[Le] Lee, E.S. (2002) The support of the Khovanov's invariant for alternating knots, arXiv:math/0201105v1 [math.GT]

[Lo] Lorenz, E.N. (1963) Deterministic non-periodic flow, J. Atmospheric Science **20**, 130–141.

[MaOz] Manolescu, C. and Ozsváth, P. (2008) On the Khovanov and knot Floer homologies of quasi-alternating links, arXiv:math/0708.3249v2 [math.GT]

[OzRaSz] Ozsváth, P., Rasmussen, J. and Szabó, Z. (2007) Odd Khovanov homology, arXiv:math/0710.4300v1 [math.QA]).

[OzSz] Ozsváth, P. and Szabó, Z. (2005) On the Heegaard Floer homology of branched double-covers, *Adv. Math.* 194 **1**, 1–33 (arXiv:math/0309170v1 [math.GT]).

[Sh1] Shumakovitch, A. (2008) KhoHo, http://www.geometrie.ch/KhoHo/

[Sh2] Shumakovitch, A. (2008) Private communication.

[St] Stošić, M. (2006) Homological thickness and stability of torus knots, arXiv:math/0511532v2 [math.GT]

[Wa] Watson, M. (2008) Surgery obstructions from Khovanov homology, arXiv:0807.1341v2 [math.GT]

[Wi] Widmer, T. (2008) Quasi-alternating Montesinos links, arXiv:math/0811.0270v1 [math.GT]

THE MATHEMATICAL INSTITUTE, KNEZ MIHAILOVA 36, P.O.BOX 367,
11001 BELGRADE, SERBIA

E-mail address: sjablan@gmail.com